International Journal for
Numerical Methods in Engineering

Volume 66 Number 1 • 2 April 2006

Application of the quadrilateral area co-ordinate method: A new element for Mindlin–Reissner plate: S. Cen, Y.-Q. Long, Z.-H. Yao and S.-P. Chiew 1

MR linear contact detection algorithm: A. Munjiza, E. Rougier and N. W. M. John 46

A two-dimensional stochastic algorithm for the solution of the non-linear Poisson–Boltzmann equation: validation with finite-difference benchmarks: K. Chatterjee and J. Poggie 72

Stress analysis around holes or notches by special finite elements: S. de Miranda and F. Ubertini 85

A non-linear programming approach to kinematic shakedown analysis of composite materials: H. X. Li and H. S. Yu 117

Methods of fundamental solutions for time-dependent heat conduction problems: S. Chantasiriwan 147

A spline wavelet finite-element method in structural mechanics: J.-G. Han, W.-X. Ren and Y. Huang 166

Volume 66 Number 2 • 9 April 2006

An updated interactive boundary layer method for high Reynolds number flows: F. Álvarez, N. Moraga and J. Cousteix 191

A new approach to reduce membrane and transverse shear locking for one-point quadrature shell elements: linear formulation: R. P. R. Cardoso, J. W. Yoon and R. A. F. Valente 214

FETI-DP, BDDC, and block Cholesky methods: J. Li and O. B. Widlund 250

Uniformly convergent non-standard finite difference methods for singularly perturbed differential-difference equations with delay and advance: K. C. Patidar and K. K. Sharma 272

Discrete direct and adjoint sensitivity analysis for arbitrary Mach number flows: R. Balasubramanian and J. C. Newman III 297

Semi-deterministic and genetic algorithms for global optimization of microfluidic protein-folding devices: B. Ivorra, D. E. Hertzog, B. Mohammadi and J. G. Santiago 319

Boundary integral equation for tangential derivative of flux in Laplace and Helmholtz equations: R. Gallego and A. E. Martínez-Castro 334

A non-oscillatory method for spallation studies: S. Xiao 364

The *International Journal for Numerical Methods in Engineering* is covered by the following abstracting and indexing services:

Applied Mechanics Reviews, BHRA Fluid Engineering Centre (Elsevier), Cambridge Scientific Abstracts/Materials Information, CompuMath Citation Index® (ISI), Current Contents®/Engineering, Computing & Technology (ISI), Earthquake Engineering Abstracts (NISEE), Ei COMPENDEX PLUS, Ei Page One, Geobase (Elsevier), Geotechnical Abstracts (Geotext Services), Indian Society of Earthquake Technology Bulletin, INSPEC, International Aeronautical Abstracts & Database (AIAA), International Civil Engineering Abstracts (Emerald), International Petroleum Abstracts, ISI Alerting Services, Materials Science Citation Index (ISI), Mathematical Reviews, Mechanics, PASCAL Database (INIST), Science Citation Index Expanded (also known as SciSearch®) (ISI), Science Citation Index® (ISI), Shock & Vibration Digest (Sage), Tribology and Corrosion Abstracts, Zentralblatt für Mathematik/Mathematics Abstracts.

IJNMBH 66 1–2130 (2006) • ISSN 0029-5981

Volume 66 Number 3 • 16 April 2006

Wavelet Galerkin method in multi-scale homogenization of heterogeneous media: S. Mehraeen and J.-S. Chen 381

Finite-element analysis of a combined fine-blanking and extrusion process: P. F. Zheng, L. C. Chan and T. C. Lee 404

Performance comparison of data-reordering algorithms for sparse matrix–vector multiplication in edge-based unstructured grid computations: A. L. G. A. Coutinho, M. A. D. Martins, R. M. Sydenstricker and R. N. Elias 431

Topology optimization of creeping fluid flows using a Darcy–Stokes finite element: J. K. Guest and J. H. Prévost 461

Polygon-based contact resolution for superquadrics: K. Han, Y. T. Feng and D. R. J. Owen 485

On inter-element forces in the FEM-displacement formulation, and implications for stress recovery: D. Ciancio, I. Carol and M. Cuomo 502

Accelerating boundary integral equation method using a special-purpose computer: T. Takahashi, A. Kawai and T. Ebisuzaki 529

Discontinuous Galerkin methods with plane waves for the displacement-based acoustic equation: G. Gabard 549

Volume 66 Number 4 • 23 April 2006

On the inverse of generalized λ-matrices with singular leading term: N. A. Dumont 571

Lower bound limit analysis of cohesive-frictional materials using second-order cone programming: A. Makrodimopoulos and C. M. Martin 604

A methodology for the formulation of error estimators for time integration in linear solid and structural dynamics: I. Romero and L. M. Lacoma 635

Discrete crack modelling of ductile fracture driven by non-local softening plasticity: J. Mediavilla, R. H. J. Peerlings and M. G. D. Geers 661

An explicit material point finite element method for hyper-velocity impact: X. Zhang, K. Y. Sze and S. Ma 689

Efficient iteration schemes for anisotropic hyperelasto-plasticity: M. Ekh and A. Menzel 707

Skeletal reduction of boundary value problems: K. Suresh 722

An algebraic method for smoothing surface triangulations on a local parametric space: J. M. Escobar, G. Montero, R. Montenegro and E. Rodríguez 740

Volume 66 Number 5 • 30 April 2006

On the elimination of quadrature subcells for discontinuous functions in the eXtended Finite-Element Method: G. Ventura 761

Three-dimensional discontinuous Galerkin elements with plane waves and Lagrange multipliers for the solution of mid-frequency Helmholtz problems: R. Tezaur and C. Farhat 796

A unified approach for the formulation of interaction problems by the boundary element method: Y. Mengi and H. Argeso 816

A three-invariant hardening plasticity for numerical simulation of powder forming processes via the arbitrary Lagrangian–Eulerian FE model: A. R. Khoei, A. R. Azami, M. Anahid and R. W. Lewis 843

Two-scale shear band evolution by local partition of unity: P. M. A. Areias and T. Belytschko 878

Volume 66 Number 6 • 7 May 2006

Theory and numerics for finite deformation fracture modelling using strong discontinuities: M. Fagerström and R. Larsson 911

Continued fraction absorbing boundary conditions for convex polygonal domains: M. N. Guddati and K.-W. Lim 949

Maximum likelihood estimation of stochastic chaos representations from experimental data: C. Desceliers, R. Ghanem and C. Soize 978

A combined approach for goal-oriented error estimation and adaptivity using operator-customized finite element wavelets: R. Sudarshan, K. Amaratunga and T. Grätsch 1002

Efficient return algorithms for associated plasticity with multiple yield planes: J. Clausen, L. Damkilde and L. Andersen 1036

Volume 66 Number 7 • 14 May 2006

Numerical modelling of fluids mixing, heat transfer and non-equilibrium redox chemical reactions in fluid-saturated porous rocks: C. Zhao, B. E. Hobbs, P. Hornby, A. Ord and S. Peng 1061

A linearly implicit trapezoidal method for integrating stiff multibody dynamics with contact, joints, and friction: F. A. Potra, M. Anitescu, B. Gavrea and J. Trinkle 1079

Natural element approximations involving bubbles for treating mechanical models in incompressible media: J. Yvonnet, P. Villon and F. Chinesta 1125

A meshfree Hermite-type radial point interpolation method for Kirchhoff plate problems: Y. Liu, Y. C. Hon and K. M. Liew 1153

Wrinkle/slack model and finite element dynamics of membrane: Y. Miyazaki 1179

Volume 66 Number 8 • 21 May 2006

Coupled mechanics and finite element for non-linear laminated piezoelectric shallow shells undergoing large displacements and rotations: D. Varelis and D. A. Saravanos 1211

Design sensitivity analysis in large deformation elasto-plastic and elasto-viscoplastic problems: P. Kowalczyk 1234

Analysis of adhesively bonded joints: a finite element method and a material model with damage: P. Schmidt and U. Edlund 1271

Modelling inter-yarn friction in woven fabric armour: X. S. Zeng, V. B. C. Tan and V. P. W. Shim 1309

Performing RVE calculations under constant stress triaxiality for monotonous and cyclic loading: R. C. Lin, D. Steglich, W. Brocks and J. Betten 1331

Volume 66 Number 9 • 28 May 2006

Accelerated engineering design optimization using successive matrix inversion method: H.-R. Bae, R. V. Grandhi and R. A. Canfield 1361

Improving the accuracy of XFEM crack tip fields using higher order quadrature and statically admissible stress recovery: Q. Z. Xiao and B. L. Karihaloo 1378

A meshless BEM for isotropic heat conduction problems with heat generation and spatially varying conductivity: X.-W. Gao 1411

A special focus on 2D formulations for contact problems using a covariant description: A. Konyukhov and K. Schweizerhof 1432

Non-conservative and conservative formulations of characteristics-based numerical reconstructions for incompressible flows: E. Shapiro and D. Drikakis 1466

Analysis of a rotation-free 4-node shell element: M. Brunet and F. Sabourin 1483

Volume 66 Number 10 • 4 June 2006

Special Issue: Characteristic-Based Split (CBS) Procedure

Guest Editors: P. Nithiarasu and R. Codina

Editorial 1511

Foreword 1513

Review

The Characteristic-Based Split (CBS) scheme—a unified approach to fluid dynamics: P. Nithiarasu, R. Codina and O. C. Zienkiewicz 1514

CBS-based stabilization in explicit solid dynamics: J. Rojek, E. Oñate and R. L. Taylor 1547

Hydrodynamics and transport in estuaries and rivers by the CBS finite element method: P. Ortiz, O. C. Zienkiewicz and J. Szmelter 1569

Stabilized-coupled modelling of creep phenomena for saturated porous media: V. A. Salomoni and B. A. Schrefler 1587

Explicit and semi-implicit CBS procedures for incompressible viscous flows: N. Massarotti, F. Arpino, R. W. Lewis and P. Nithiarasu 1618

Characteristic-based split (CBS) algorithm finite element modelling for shallow waters in the Venice lagoon: M. Morandi-Cecchi and M. Venturin 1641

Numerical simulation of underfill encapsulation process based on characteristic split method: V. M. Kulkarni, K. N. Seetharamu, I. A. Azid, P. A. A. Narayana and G. A. Quadir 1658

Numerical comparison of CBS and SGS as stabilization techniques for the incompressible Navier–Stokes equations: R. Codina, H. Coppola-Owen, P. Nithiarasu and C.-B. Liu 1672

Volume 66 Number 11 • 11 June 2006

Shape optimization of flow guides in three-dimensional extrusion processes by an approximation scheme based on state variable linearization: S. R. Lee and D. Y. Yang 1691

Derivation of 3D masonry properties using numerical homogenization technique: C. Wu and H. Hao 1717

Algorithms by design with illustrations to solid and structural mechanics/dynamics: X. Zhou and K. K. Tamma 1738

Efficient algorithm for edge cracked geometries: J. Englund 1791

Evolutionary topology optimization using design space adjustment based on fixed grid: I. G. Jang and B. M. Kwak 1817

Volume 66 Number 12 • 18 June 2006

A robust design method using variable transformation and Gauss–Hermite integration: B. Huang and X. Du 1841

A numerical method for the evaluation of non-linear transient moisture flow in cellulosic materials: U. Nyman, P. J. Gustafsson, B. Johannesson and R. Hägglund 1859

On the removal of the non-uniqueness in the solution of elastostatic problems by symmetric Galerkin BEM: R. Vodička, V. Mantič and F. París 1884

Material constant sensitivity boundary integral equation for anisotropic solids: R. Gallego, L. Comino and A. Ruiz-Cabello 1913

A concurrent model reduction approach on spatial and random domains for the solution of stochastic PDEs: S. Acharjee and N. Zabaras 1934

Efficient thermo-mechanical model for solidification processes: S. Koric and B. G. Thomas 1955

Volume 66 Number 13 • 25 June 2006

Free-surface and admittivity estimation in electrical impedance tomography: O.-P. Tossavainen, V. Kolehmainen and M. Vauhkonen 1991

Galerkin boundary integral analysis for the axisymmetric Laplace equation: L. J. Gray, M. Garzon, V. Mantič and E. Graciani 2014

A front remeshing technique for a Lagrangian description of moving interfaces in two-fluid flows: M. Cruchaga, D. Celentano, P. Breitkopf, P. Villon and A. Rassineux 2035

Truncation error in mesh-free particle methods: N. J. Quinlan, M. Basa and M. Lastiwka 2064

The discontinuous enrichment method for elastic wave propagation in the medium-frequency regime: L. Zhang, R. Tezaur and C. Farhat 2086

Eigensolution reanalysis of modified structures using epsilon-algorithm: S. H. Chen, X. M. Wu and Z. J. Yang 2115